



OUTLINING

Definitie

un rezumat preliminar al unei lucrări scrise, de obicei, organizat ierarhic în capitol și subcapitol

Beneficii

mai buna organizare a gândurilor

clarificarea ideilor

structurarea și organizarea

volum mare de informații

urmează fluxul firesc al gândurilor

Cum să faci un outline

porneste cu ideea principală

fa o structură radială, cu ramuri


aranjează și rearanjează

pentru concentrare colapsează ramuri

Exemple

ORIGINS OF AGRICULTURE

- I. AGRICULTURE COMPARED TO HUNTING-GATHERING
 - A. Advantages of Agriculture
 - 1. More efficient use of land
 - a. agriculture: 1 sq km supports 50 people
 - b. hunting-gathering: 25-30 sq km support 5-6 people
 - 2. More stable food source through year (with storage)
 - 3. More free time in non-critical seasons
 - B. Disadvantages of Agriculture
 - 1. Malnourishment
 - a. farmers often deficient in protein
 - 2. Labor intensive in critical seasons
 - 3. High risk if crops/herds fail
- II. IDENTIFYING DOMESTICATES IN ARCHAEOLOGICAL RECORD
 - A. Plants
 - 1. Seeds are bigger in size
 - a. example: teosinte to maize
 - b. example: domesticated sunflower is at least 5 mm
 - 2. Seed coats are thicker
 - 3. Found outside natural range of distribution
 - B. Animals
 - 1. Horns change in morphology
 - a. example: sheep
 - 2. Body size changes
 - 3. Changes in coat or fur
 - 4. Age-sex distributions in skeletal collections
 - a. few old males
 - b. many slaughtered young males
 - c. many old females
 - 5. Found outside natural range of distribution



- ORIGINS OF AGRICULTURE**
- I. AGRICULTURE COMPARED TO HUNTING-GATHERING**
- A. Advantages of Agriculture**
1. More efficient use of land
 - a. agriculture: 1 sq km supports 50 people
 - b. hunting-gathering: 25-30 sq km support 5-6 people
 2. More stable food source through year (with storage)
 3. More free time in non-critical seasons
- B. Disadvantages of Agriculture**
1. Malnourishment
 - a. farmers often deficient in protein
 2. Labor intensive in critical seasons
 3. High risk if crops/herds fail
- II. IDENTIFYING DOMESTICATES IN ARCHAEOLOGICAL RECORD**
- A. Plants**
1. Seeds are bigger in size
 - a. example: teardrop to maize
 - b. example: domesticated sunflower is at least 5 mm
 2. Seed coats are thicker
 3. Found outside natural range of distribution
- B. Animals**
1. Horns change in morphology
 - a. example: sheep
 2. Body size changes
 3. Changes in coat or fur
 4. Age-sex distributions in skeletal collections
 - a. few old males
 - b. many slaughtered young males
 - c. many old females
 5. Found outside natural range of distribution